
# 449 Series Fuse











#### **Agency Approvals**

AGENCY	AGENCY FILE NUMBER	AMPERE RANGE
c <b>FL</b> °us	E10480	0.375A - 5A
PSE	NBK030205-E10480B	1A - 5A

# **Electrical Characteristics for Series**

% of Ampere Rating	Opening Time	
100%	4 hours, Minimum	
200%	1 sec., Min.; 60 sec., Max.	
300%	0.2 sec., Min.; 3 sec., Max	
800%	0.02 sec., Min.; 0.1 sec., Max.	

#### **Additional Information**



**Datasheet** 



Resources



Samples

# **Description**

The lead free NANO<sup>2®</sup> Slo-Blo<sup>®</sup> fuse is RoHS compliant, Halogen Free and 100% lead-free. This product is fully compatible with lead-free solder alloys and higher temperature profiles associated with lead-free assembly. The Slo-Blo® fuse design has enhanced inrush withstand characteristics over the NANO<sup>2®</sup> Fast-Acting Fuse. The unique time delay feature of this fuse design helps solve the problem of nuisance "opening" by accommodating inrush currents that normally cause a fast-acting fuse to open.

### **Features**

- Lead-free, Halogen free and RoHS compliant
- Small size
- Wide range of current ratings available
- Wide operating temperature range
- Low temperature rerating

#### **Applications**

Secondary protection for space constrained applications:

- Notebook PC
- LCD/PDPTV
- LCD monitor
- LCD/PDP panel
- LCD backlight inverter
- Portable DVD player
- Power supply
- Networking
- PC server
- · Cooling fan system

- Storage system
- Telecom system
- Wireless basestation
- White goods
- Game console
- Office Automation equipment
- Battery charging circuit protection
- Industrial equipment

#### **Electrical Specifications by Item**

Ampere		Max		Nominal Cold	Nominal	Agency Approvals	
Rating (A)	Rating Amp Code Rating Rating	Resistance (Ohms)	Melting I²t (A²sec)	c <b>'911</b> °us	PS		
0.375	.375	125		1.5130	0.088	х	
0.500	.500	125		0.7633	0.258	х	
0.750	.750	125		0.4080	0.847	Х	
1.00	001.	125		0.2516	1.76	х	х
1.50	01.5	125	50A @125 VAC/VDC	0.1186	4.70	Х	×
2.00	002.	125		0.0708	6.76	Х	х
2.50	02.5	125	PSE: 100A @100 VAC	0.0400	13.18	Х	х
3.00	003.	125		0.0352	19.55	Х	×
3.50	03.5	125		0.0261	32.70	×	х
4.00	004.	125		0.0227	40.80	×	×
5.00	005.	125		0.0171	59.59	X	X


Notes: - I2t calculated at 8ms. Resistance is measured at 10% of rated current, 25°C

Specifications are subject to change without notice. Application testing is strongly recommended.

Revised: 10/10/16




# **Temperature Re-rating Curve**



#### Note:

 Rerating depicted in this curve is in addition to the standard derating of 25% for continuous operation.

# **Average Time Current Curves**




# **Soldering Parameters**

Wave Soldering Parameters

Reflow Condition		Pb – Free assembly	
	-Temperature Min (T <sub>s(min)</sub> )	150°C	
Pre Heat	-Temperature Max (T <sub>s(max)</sub> )	200°C	
	-Time (Min to Max) (t <sub>s</sub> )	60 – 120 secs	
Average ramp up rate (Liquidus Temp (T <sub>L</sub> ) to peak		3°C/second max.	
T <sub>S(max)</sub> to T <sub>L</sub> - Ramp-up Rate		3°C/second max.	
Reflow	-Temperature (T <sub>L</sub> ) (Liquidus)	217°C	
	-Temperature (t <sub>L</sub> )	60 - 90 seconds	
PeakTemp	erature (T <sub>P</sub> )	260+0/-5 °C	
Time within 5°C of actual peak Temperature (t <sub>p</sub> )		20 – 40 seconds	
Ramp-down Rate		5°C/second max.	
Time 25°C to peak Temperature (T <sub>P</sub> )		8 minutes max.	
Do not exceed		260°C	
		260°C Peak	

Temperature, 3 seconds max.






#### **Product Characteristics**


Materials	Body: Ceramic Terminations: Gold-plated Caps		
Product Marking	Brand, Amperage Rating		
Operating Temperature	-55°C to 125°C		
Moisture Sensitivity Level	Level 1, J-STD-020		
Solderability	MIL-STD-202, Method 208		
Insulation Resistance (after Opening)	MIL-STD-202, Method 302, Test Condition A (10,000 ohms minimum)		

Thermal Shock	MIL-STD-202, Method 107, Test Condition B, 5 cycles, -65°C to 125°C, 15 minutes @ each extreme MIL-STD-202, Method 213, Test I: Deenergized. 100G's pk amplitude, sawtooth wave 6ms duration, 3 cycles XYZ+xyz = 18 shocks		
Mechanical Shock			
Vibration	MIL-STD-202, Method 201: 0.03" amplitude, 10-55 Hz in 1 min. 2hrs each XYZ=6hrs		
Moisture Resistance	MIL-STD-202, Method 106, 10 cycles		
Salt Spray	MIL-STD-202, Method 101, Test Condition B (48hrs)		
Resistance to Soldering Heat	MIL-STD-202, Method 210, Test condition B (10 sec at 260°C)		

#### **Dimensions**



### **Part Numbering System**



# **Packaging**

Packaging Option	Packaging Specification	Quantity	Quantity & Packaging Code
12mm Tape and Reel	EIA RS-481-2 (IEC 286, part 3)	1000	MR