# P409 Series, Integrated Resistor, Metallized Impregnated Paper, Class X2, 275 VAC



#### **Overview**

The P409 Series is constructed of multilayer metallized paper encapsulated and impregnated in self-extinguishing material meeting the requirements of UL 94 V–0.

### **Applications**

Typical applications include worldwide use in contact protection, contact interference suppression and transient suppression.

#### Benefts

· Approvals: ENEC, UL, cUL

Rated voltage: 275 VAC 50/60 Hz
Capacitance range: 0.047 – 0.47 µF
Capacitance tolerance: ±20%

Resistance range: 22 – 470 Ω
Resistance tolerance: ±30%

Lead spacing: 15.2 – 25.4 mm

Climatic category: 40/085/56/B, IEC 60068–1

• Tape and reel packaging in accordance with IEC 60286-2

· RoHS Compliant and lead-free terminations

• Operating temperature range of -40°C to +85°C

• Excellent self-healing properties which ensure long life even when subjected to frequent over voltages

· Good resistance to ionization due to impregnated paper dielectric

High dV/dt capability

 Impregnated paper ensures excellent stability and reliability properties, particularly in applications with continuous operation



### Part Number System


Р	409	Q	M	473	M	275	А	H470



# **Ordering Options Table**

Lead Spacing Nominal (mm)	Type of Leads and Packaging	Lead Length (mm)	Part Number (Insert at 14th character)
	Standard Lead and Packaging Options		
	Bulk – Short Leads	6 +0/-1	С
15.2	Bulk - Maximum Length Leads	30 +5/-0	А
15.2	Tape & Reel (Standard Reel)	H <sub>0</sub> = 18.5 +/-0.5	L
	Other Lead and Packaging Options		
	Tape & Reel (Large Reel)	H <sub>0</sub> = 18.5 +/-0.5	Р
	Standard Lead and Packaging Options		
	Tray – Short Leads	6 +0/-1	С
20.3	Bulk - Maximum Length Leads	30 +5/-0	A
20.3	Tape & Reel (Standard Reel)	H <sub>0</sub> = 18.5 +/-0.5	L
	Other Lead and Packaging Options		
	Tape & Reel (Large Reel)	H <sub>0</sub> = 18.5 +/-0.5	Р
	Standard Lead and Packaging Options		
25.4	Bulk – Short Leads	6 +0/-1	С
	Bulk – Maximum Length Leads	30 +5/-0	A

#### **Dimensions – Millimeters**



Size Code	р		В		Н		L		d				
	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance			
QM	15.2	+/-0.4	7.3	Maximum	13.0	Maximum	18.5	Maximum	0.8	+/-0.05			
CE	20.3	+/-0.4	7.6	Maximum	14.0	Maximum	24.0	Maximum	0.8	+/-0.05			
СР	20.3	+/-0.4	11.3	Maximum	16.5	Maximum	24.0	Maximum	0.8	+/-0.05			
EJ	25.4	+/-0.4	12.1	Maximum	19.0	Maximum	30.5	Maximum	1.0	+/-0.05			
EL	25.4	+/-0.4	15.3	Maximum	22.0	Maximum	30.5	Maximum	1.0	+/-0.05			
			Note: See Ord	Note: See Ordering Options Table for lead length (LL) options.									



#### **Performance Characteristics**

Pated Voltage	275 VAC 50/60 Hz			
Rated Voltage				
Capacitance Range	0.047 – 0.47 μF			
Capacitance Tolerance	±20%			
Resistance Range	22 – 470 Ω			
Resistance Tolerance	±30%			
Temperature Range	-40°C to +85°C			
Climatic Category	40/085/56/B			
Approvals	ENEC, UL, cUL			
Peak Pulse Voltage	1,000 V			
Series Resistance	The series resistance is defined at kHz for RC < 50 µs	1 kHz for RC ≥ 50 μs and at 100		
	Minimum Values E	Between Terminals		
Insulation Resistance	C ≤ 0.33 μF	≥ 3,000 MΩ		
	C > 0.33 µF	≥ 1,000 MΩ • µF		
Pulse Current	Maximum 12 A repetitive. Maximum	n 20 A peak for occasional		
Test Voltage Between Terminals	transients.  The 100% screening factory test is carried out at 1,800 VDC. The voltage level is selected to meet the requirements in applicable equipment standards. All electrical characteristics are checked after the test.			
In DC Applications	Recommended voltage ≤ 630 VDC			
Power Ratings	The average losses may reach 0.5 temperature does not exceed + 85° dissipation vs. temperature, see De	C. For maximum permitted power		
Derating Curves	Maximum Allowable Power Dissipa Case Sizes.	tion vs. Ambient Temperature and		



#### **Environmental Test Data**

Test	IEC Publication	Procedure
Endurance	IEC 60384-14	1.25 x $V_R$ Vac 50Hz, once every hour increase to 1,000 Vac for 0.1 second, 1,000 hours at upper rated temperature.
Vibration	IEC 60068-2-6 Test Fc	3 directions at 2 hours each, 10 – 500 Hz at 0.75 mm or 98 m/s <sup>2</sup>
Bump	IEC 60068-2-29 Test Eb	4,000 bumps at 390 m/s <sup>2</sup>
Change of Temperature	IEC 60068-2-14 Test Na	Upper and lower temperature 5 cycles
Active Flammability	IEC 60384-14	V <sub>R</sub> + 20 surge pulses at 2.5 kV (pulse every 5 seconds)
Passive Flammability	IEC 60384-14	IEC 60384-1, IEC 60695-11-5 Needle-fame test
Damp Heat Steady State	IEC 60068-2-78 Test Cab	+40°C and 93% RH, 56 days

# **Approvals**

Certification Body	Mark	Specification	File Number
Intertek Semko AB		EN/IEC 60384-14	SE/0140-33A
UL	c <b>Al</b> us	UL 60384-14 CAN/CSA-E60384-14-09	E73869

# **Environmental Compliance**

All KEMET EMI capacitors are RoHS Compliant.



Table 1 – Ratings & Part Number Reference

Lead	Capacitance	Resistance $(\Omega)$	Maximu	m Dimension	s in mm	KEMET
Spacing (p)	Value (μF)	Nesistance (22)	В	Н	L	Part Number
15.2	47	47	7.3	13.0	18.5	P409QM473M275(1)H470
15.2	47	100	7.3	13.0	18.5	P409QM473M275(1)H101
20.3	0.1	22	7.6	14.0	24.0	P409CE104M275(1)H220
20.3	0.1	33	7.6	14.0	24.0	P409CE104M275(1)H330
20.3	0.1	47	7.6	14.0	24.0	P409CE104M275(1)H470
20.3	0.1	68	7.6	14.0	24.0	P409CE104M275(1)H680
20.3	0.1	100	7.6	14.0	24.0	P409CE104M275(1)H101
20.3	0.1	150	11.3	16.5	24.0	P409CP104M275(1)H151
20.3	0.1	220	11.3	16.5	24.0	P409CP104M275(1)H221
20.3	0.1	330	11.3	16.5	24.0	P409CP104M275(1)H331
20.3	0.1	470	11.3	16.5	24.0	P409CP104M275(1)H471
20.3	0.22	22	11.3	16.5	24.0	P409CP224M275(1)H220
20.3	0.22	33	11.3	16.5	24.0	P409CP224M275(1)H330
20.3	0.22	47	11.3	16.5	24.0	P409CP224M275(1)H470
20.3	0.22	68	11.3	16.5	24.0	P409CP224M275(1)H680
20.3	0.22	100	11.3	16.5	24.0	P409CP224M275(1)H101
20.3	0.22	150	11.3	16.5	24.0	P409CP224M275(1)H151
20.3	0.22	220	11.3	16.5	24.0	P409CP224M275(1)H221
25.4	0.22	330	12.1	19.0	30.5	P409EJ224M275(1)H331
25.4	0.22	470	15.3	22.0	30.5	P409EL224M275(1)H471
25.4	0.47	33	15.3	22.0	30.5	P409EL474M275(1)H330
25.4	0.47	47	15.3	22.0	30.5	P409EL474M275(1)H470
25.4	0.47	68	15.3	22.0	30.5	P409EL474M275(1)H680
25.4	0.47	100	15.3	22.0	30.5	P409EL474M275(1)H101
25.4	0.47	150	15.3	22.0	30.5	P409EL474M275(1)H151
25.4	0.47	220	15.3	22.0	30.5	P409EL474M275(1)H221
Lead Spacing (p)	Capacitance Value (μF)	Resistance Ω	B (mm)	H (mm)	L (mm)	KEMET Part Number

<sup>(1)</sup> Insert lead and packaging code. See Ordering Options Table for available options.



#### **Soldering Process**

The implementation of the RoHS directive has resulted in the selection of SnAgCu (SAC) alloys or SnCu alloys as primary solder. This has increased the liquidus temperature from that of 183°C for SnPb eutectic alloy to 217 – 221°C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher pre-heat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is 160 – 170°C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 mm to 15 mm), and great care has to be taken during soldering. The recommended solder profles from KEMET should be used. Please consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid guideline for successful soldering. Please see Figure 1.


Refow soldering is not recommended for through-hole flm capacitors. Exposing capacitors to a soldering profle in excess of the above the recommended limits may result to degradation or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after the curing of surface mount parts. Consult KEMET to discuss the actual temperature profle in the oven, if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles is recommended. Please allow time for the capacitor surface temperature to return to a normal temperature before the second soldering cycle.

#### Manual Soldering Recommendations


Following is the recommendation for manual soldering with a soldering iron.

# Recommended Soldering Temperature



The soldering iron tip temperature should be set at 350°C (+10°C maximum) with the soldering duration not to exceed more than 3 seconds.

#### Wave Soldering Recommendations





### Soldering Process cont'd


Wave Soldering Recommendations cont'd

1. The table indicates the maximum set-up temperature of the soldering process Figure 1


Dielectric		imum Pre emperatu		mum oldering erature	
Film Material	Capacitor Pitch ≤ 10 mm	Capacitor Pitch = 15 mm	Capacitor Pitch > 15 mm	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm
Polyester	130°C	130°C	130°C	270°C	270°C
Polypropylene	100°C	110°C	130°C	26 4	



#### Construction




#### **Winding Scheme**




## Mounting

RC units are mounted in parallel with the contacts to be protected or in parallel with the inductive load (Fig. 1 and Fig. 2). RC units are generally mounted in parallel with the contacts to suppress radio interferences (Fig. 1).





### Marking




## **Packaging Quantities**

Lead Spacing (mm)	Thickness (mm)	Height (mm)	Length (mm)	Bulk Short Leads	Bulk Long Leads	Standard Reel ø 360 mm
15.2	7.3	13.0	18.5	500	100	600
20.3	7.6	14.0	24.0	250	1500	250
20.5	11.3	16.5	24.0	150	1000	180
25.4	12.1	19.0	30.5	100	800	
20.4	15.3	22.0	30.5	75	600	



### Lead Taping & Packaging (IEC 60286-2)



### Taping Specification

	Standard IEC 60286–2							
Lead spacing	+6/-0.1	F	Formed 7.5	10.2	15.2	20.3	22.5	F
Carrier tape width	+/-0.5	W	18	18	18	18	18	18+1/-0.5
Hold-down tape width	+/-0.3	$W_{0}$	9	12	12	12	12	
Position of sprocket hole	+/-0.5	W <sub>1</sub>	9	9	9	9	9	9+0.75/-0.5
Distance between tapes	Maximum	W <sub>2</sub>	3	3	3	3	3	3
Sprocket hole diameter	+/-0.2	D <sub>0</sub>	4	4	4	4	4	4
Feed hole lead spacing	+/-0.3	P <sub>0</sub> <sup>(1)</sup>	12.7(4)	12.7	12.7	12.7	12.7	12.7
Distance lead – feed hole	+/-0.7	P <sub>1</sub>	3.75	7.6	5.1	8.9	5.3	P <sup>1</sup>
Deviation tape – plane	Maximum	Δр	1.3	1.3	1.3	1.3	1.3	1.3
Lateral deviation	Maximum	Δh	2	2	2	2	2	2
Total thickness	+/-0.2	t	0.7	0.7	0.7	0.7	0.9 <sup>MAX</sup>	0.9 <sup>MAX</sup>
Sprocket hole/cap body	Nominal	H <sub>0</sub> <sup>(2)</sup>	18+2/-0	18+2/-0	18+2/-0	18+2/-0	18.5+/-0.5	18+2/-0
Sprocket hole/top of cap body	Maximum	H <sub>1</sub> <sup>(3)</sup>	35	35	35	35	58	58 <sup>MAX</sup>

<sup>(1)</sup> Maximum cumulative feed hole error, 1 mm per 20 parts.

<sup>(2) 16.5</sup> mm available on request.

<sup>(3)</sup> Depending on case size.

<sup>(4) 15</sup> mm available on request.




### Lead Taping & Packaging (IEC 60286-2) cont'd


# Ammo Specifications


Carina	Dimensions (mm)				
Series	Н	W	Т		
P409	330	330	50		

# Reel Specifications

Corios	Dimensions (mm)				
Series	D	Н	W		
P409	360 500	30	46 (Max)		







# Manufacturing Date Code (IEC-60062)

Y = Year, Z = Month			
Year	Code	Month	Code
2000	M	January	1
2001	N	February	2
2002	Р	March	3
2003	R	April	4
2004	S	May	5
2005	Т	June	6
2006	U	July	7
2007	V	August	8
2008	W	September	9
2009	X	October	0
2010	Α	November	N
2011	В	December	D
2012	С		
2013	D		
2014	E		
2015	F		
2016	Н		
2017	J		
2018	K		
2019	L		
2020	M		



# KEMET Corporation World Headquarters

2835 KEMET Way Simpsonville, SC 29681

Mailing Address: P.O. Box 5928 Greenville, SC 29606

www.kemet.com Tel: 864-963-6300 Fax: 864-963-6521

Corporate Offces Fort Lauderdale, FL Tel: 954-766-2800

#### North America

Northeast Wilmington, MA Tel: 978-658-1663

Southeast Lake Mary, FL Tel: 407-855-8886

Central Novi, MI

Tel: 248-994-1030

Irving, TX

Tel: 972-915-6041

West

Milpitas, CA Tel: 408-433-9950

Mexico

Guadalajara, Jalisco Tel: 52-33-3123-2141

#### Europe

Southern Europe Sasso Marconi, Italy Tel: 39-051-939111

Skopje, Macedonia Tel: 389-2-55-14-623

Central Europe Landsberg, Germany Tel: 49-8191-3350800

Kamen, Germany Tel: 49-2307-438110

Northern Europe Wyboston, United Kingdom Tel: 44-1480-273082

Espoo, Finland Tel: 358-9-5406-5000

#### Asia

Northeast Asia Hong Kong Tel: 852-2305-1168

Shenzhen, China Tel: 86-755-2518-1306

Beijing, China Tel: 86-10-5877-1075

Shanghai, China Tel: 86-21-6447-0707

Seoul, South Korea Tel: 82-2-6294-0550

Taipei, Taiwan Tel: 886-2-27528585

Southeast Asia Singapore

Tel: 65-6701-8033

Penang, Malaysia Tel: 60-4-6430200

Bangalore, India Tel: 91-806-53-76817

Note: KEMET reserves the right to modify minor details of internal and external construction at any time in the interest of product improvement. KEMET does not assume any responsibility for infringement that might result from the use of KEMET Capacitors in potential circuit designs. KEMET is a registered trademark of KEMET Electronics Corporation.



#### Disclaimer

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed.

All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only